## Stat 215C - Exam 1

Name: \_\_\_\_\_

Thursday, February 13, 2014 Time: 75 minutes Instructor: Brittany Whited

## Instructions:

- Do not open the exam until I say you may.
- Circle or box your final answer where appropriate.
- All work must clearly and legibly support your answer. Failure to do so will result in the loss of points.
- If you run out of room, use the back of the page and indicate this on the question.
- As always, you are expected to exhibit academic integrity during the exam.
- Please turn in your note sheet with your exam.

## Materials Allowed:

- One sheet of notes on 8.5x11 inch paper (front and back), handwritten.
- One calculator than cannot communicate with other devices. You may not share calculators during the exam.

Page:	1	2	3	4	5	6	7	Total
Points:	12	17	13	15	14	16	13	100
Score:								

- 1. (6 points) Circle the correct answer. Each part is worth two points.
  - (a) True or False : A sample of 100 college students is selected from all students registered at a certain college, and it turns out that 38 of them participate in intramural sports. We can conclude that the proportion of students at this college who participate in intramural sports is *exactly* 0.38.
  - (b) True or False : The unit for the standard deviation is the same as the unit for the data values.
  - (c) True or False : For any group of numbers, half of them will be below the mean.

- 2. (6 points) Circle the correct answer. Each part is worth two points.
  - (a) When desired information is available for all objects in the population, we have a:
    - A. population
    - B. sample
    - C. census
    - D. boxplot
    - E. sample space
  - (b) Which of the following statements regarding histograms are correct?
    - A. A unimodal histogram is one that rises to a single peak and then declines, whereas a bimodal histogram is one that has two different peaks.
    - B. A unimodal histogram is skewed if the right or upper tail is stretched out compared to the left or lower tail.
    - C. A histogram is symmetric if the left half is a mirror image of the right half.
    - D. All of the above.
    - E. Only (A) and (C), not (B).
  - (c) Which of the following can be inferred from a boxplot?
    - A. Median
    - B. Mean
    - C. Variance
    - D. All of the above.
    - E. None of the above.

- 3. A study was conducted on S&T's campus to determine the extra walking distance (feet) that employees and students need to get around the various construction sites. Researchers collected the following information from a sample of 20 employees and students: extra walking distance (feet), building where employee or student spends most of their time (Rolla Building, Centennial Hall, or Butler Carlton Hall), and the level of inconvenience (not inconvenienced, mildly inconvenienced, or very inconvenienced).
  - (a) (3 points) State the variables measured and whether they are categorical (C) or quantitative (Q).
  - (b) The following table gives the extra walking distance (feet) for the 20 employees/students.

41.2	45.8	50.2	57.1	57.9	58.8	58.9	62.1	63.4	64.6
65.2	65.6	67.4	68.6	69.1	71.3	73.2	74.7	79.4	88.1

Calculate the following by hand. You must show work. Failure to do so will result in zero points.

(a) (2 points) Mean

(b) (2 points) Median

(c) (3 points) Lower quartile (Q1)

(d) (3 points) Upper quartile (Q3)

(e) (4 points) Are there any outliers?

4. A study was conducted at the Giddy Goat to investigate consumer buying habits. The following table gives data on the type of coffee that was purchased for 100 customers.

	Small	Medium	Large
Regular	10	20	30
Decaf	23	12	5

(a) (3 points) Calculate the probability that a randomly selected customer orders a small coffee.

(b) (3 points) Calculate the probability that a randomly selected customer orders a small decaf coffee.

(c) (3 points) Given that a customer orders a small coffee, what is the probability that the customer orders a decaf?

(d) (4 points) Are the events ordering a decaf and ordering a small coffee independent? Show work to justify your answer.

- 5. A box contains 10 fuses. Six of them are rated at 15 amperes (A) and the other four are rated at 20A. Two fuses are chosen at random.
  - (a) (4 points) What is the probability of getting one fuse of each type?

(b) (4 points) What is the probability of getting at least one 15A fuse?

(c) (4 points) What is the probability of getting two fuses of the same type?

(d) (3 points) If we were to number the six 15A fuses so that we can distinguish them, how many ways would there be to order these six fuses?

- 6. Courier Delivery Service in Rolla offers both express and standard delivery. 85% of parcels are sent by standard delivery and 15% are sent by express. Of those sent standard, 60% arrive the next day and of those sent express, 95% arrive the next day. A record of parcel delivery is chosen at random from the company's files.
  - (a) (4 points) Calculate the probability that the parcel was shipped express and arrived the next day.

(b) (5 points) Calculate the probability that the parcel arrived the next day.

(c) (5 points) Given that the package arrived the next day, calculate the probability that it was sent express.

- 7. Delta Airlines has 10:00am flights from St. Louis to Atlanta, Boston, and Chicago. Let A denote the event that the Atlanta flight is full, and define the events B and C analogously for Boston and Chicago. Suppose P(A) = 0.65, P(B) = 0.75, P(C) = 0.1 and that the three events are mutually independent.
  - (a) (4 points) Calculate the probability that none of the flights are full.

(b) (4 points) Calculate the probability that at least one of the flights is full.

(c) (4 points) Calculate the probability that only the Atlanta flight is full.

(d) (4 points) Are the events A and B mutually exclusive (disjoint)? Explain your answer.

- 8. The three most popular options on apartments in Rolla are a garage (A), a dishwasher (B), and a laundry machine (C). You are given the following information about the preferences of the renters.
  - 40% request A, 55% request B, and 70% request C.
  - 32% request both A and B, 33% request both A and C, and 45% request both B and C.
  - 30% request all three.
  - (a) (7 points) Fill out the completed Venn Diagram for this problem.

(b) (3 points) Calculate the probability that the next renter will select exactly one of these three options.

(c) (3 points) Given that the renter reqests a laundry machine (C), what is the probability that the renter will request a garage (A)?